



**Specification Sheet** 

# RICOH IM C3010 IM C3010EX IM C3510 IM C3510EX

Unlock the true potential of your print infrastructure with Ricoh's IM C Series and redefine the meaning of efficiency and sustainability in your digital workplace.

٦

Unleash the power of people and technology working together in a hybrid workplace tailored to your needs, built on the foundation of Ricoh IM C Series market-leading Multifunction Printers with industry-leading low Typical Energy Consumption (TEC) values. Grow your business, save time, and increase efficiency with faster, more intuitive single-pass scanning and support for a wide range of document workflow management tools, customisable enterprisegrade content management apps, distribution solutions and third-party cloud services.

### **FEATURE HIGHLIGHTS**

- Copy, print, scan, and fax (optional)
- Output speeds from 30 to 35 ppm
- Faster and more efficient scanning via SPDF
- Robust security features
- ARDF configuration for cost-effective performance—IM C3010EX/C3510EX
- Easy-to-use Smart Operation Panel
- Digital workflow and automation support
- Seamless cloud connectivity options
- Convenient mobile connectivity
- Automatic firmware updates
- Optional finishing solutions

### ESG HIGHLIGHTS

- Made using 50% post-consumer recycled plastic
- 50% reduced power usage in sleep mode
- 54% reduction of plastic in packaging
- Industry-leading Typical Energy
   Consumption (TEC) values

## **Product Specifications**

General		
Warm-up time	24 seconds	
First copy time: B&W	4.5 seconds	
First copy time: Full Colour	6.9 seconds	
Copy speed	<ul> <li>30 cpm— IM C3010/C3010EX</li> <li>35 cpm— IM C3510/C3510EX</li> </ul>	
Memory	8 GB	
Solid state drive	256 GB	
Document feeder	<ul> <li>220-sheet SPDF— IM C3010/C3510</li> <li>100-sheet ARDF— IM C3010EX/C3510EX</li> </ul>	
Weight	<ul> <li>99.3 kg—l M C3010/C3510</li> <li>92.9 kg— IM C3010EX/C3510EX</li> </ul>	
Dimensions (w x d x h)	<ul> <li>587 x 701 x 963 mm— IM C3010/C3510</li> <li>587 x 701 x 913 mm— IM C3010EX/C3510EX</li> </ul>	
Power source	220–240 V, 50/60 Hz	

Scanner (standard)	
Speed	<ul> <li>80 ipm— ARDF (IM C3010EX/C3510EX)</li> <li>150 ipm simplex; 300 ipm duplex— SPDF (IM C3010/C3510)</li> </ul>
Maximum resolution	Up to 1,200 dpi (A5 or smaller paper size)
Compression method	<ul><li>B&amp;W: JBIG2, MH, MMR, MR</li><li>Colour: JPEG</li></ul>
File formats	Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A, Single page Encryption PDF, Multi page Encryption PDF, Single/multi OCR (optional)
Scan modes	E-mail, Folder, USB

Copier (standard)	
Multiple copying	Up to 999 copies
Resolution	600 dpi
Zoom	From 25% to 400% in 1 steps

#### Printer (standard)

Frinter (Standard)		
СРИ	Intel Apollo Lake Atom 1.3 GHz	
Printer language: standard	PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation)	
Printer language: optional	Genuine Adobe® PostScript®3™, PDF Direct from Adobe®	
Print resolution	4,800 x 1,200 dpi equivalent	
Network interface: standard	Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host I/F Type A, USB Device I/F Type B	
Network interface: optional	Wireless LAN (IEEE 802.11 a/b/g/n/ac), Additional NIC (2nd port)	
Mobile printing	Apple AirPrint, Mopria®, NFC, Ricoh Smart Device Connector	
Windows environments	Windows <sup>®</sup> 8.1, Windows <sup>®</sup> 10, Windows <sup>®</sup> 11, Windows <sup>®</sup> Server 2012R2, Windows <sup>®</sup> Server 2016, Windows <sup>®</sup> Server 2019, Windows <sup>®</sup> Server 2022	
MacOS environments	Macintosh OS X v10.15 or later	
UNIX environments	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux Enterprise, IBM® AIX	
SAP environments	SAP® R/3®, SAP® S/4®	
Other supported environments	IBM iSeries	

Fax (optional)		Environmental		
Circuit	PSTN, PBX	Power consumption: maximum	1,700 W or less	
Transmission speed	3 seconds			
Maximum modem speed	33.6 Kbps	Power consumption operation: <b>B&amp;W</b>	<ul> <li>464.4 W—IM C3010/C3010EX</li> <li>500.5 W—IM C3510/C3510EX</li> </ul>	
Resolution: standard	8 x 3.85 line/mm, 200 x 100 dpi	Power consumption	• 515.3 W—IM C3010/C3010EX	
Scan modes	16 x 15.4 line/mm,	operation: Full colour	• 543.6 W—IM C3510/C3510EX	
	400 x 400 dpi	Power consumption:	38.5 W	
Compression method	MH, MR, MMR, JBIG	Ready Mode		
Scanning speed (A4 LEF)	90 spm	Power consumption: Sleep Mode	0.3 W	
Memory: standard	4 MB, (320 pages)	TEC	• 0.30 kWh—IM C3010/C3010EX	
Memory: maximum	60 MB, (4,800 pages)		• 0.35 kWh—IM C3510/C3510EX	

Paper handling		
Recommended paper size	<ul> <li>Standard paper tray(s): SRA3, A3, A</li> <li>Optional paper tray(s): SRA3, A3, A</li> <li>Bypass tray: SRA3, A3, A4, A5, A6,</li> <li>Custom Size paper: Width—90-32: 148-1,260 mm (FAX/Printer)</li> </ul>	
Paper input: standard	1,200 sheets	
Paper input: maximum	4,850 sheets	
Paper output: standard	500 sheets	
Paper output: maximum	1,625 sheets	
Paper weight	Trays: (60–300 g/m²), Bypass: (52–300	
Paper types	Plain paper, Recycled paper, Special pa Bond paper, Coated paper, Envelope,	

#### Input and finishing options

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,650-sheet side Large capacity tray, 1,000-sheet Hybrid finisher, 1,000-sheet Booklet finisher, 250-sheet Internal finisher, 500-sheet Internal finisher, Internal multi-fold unit, Internal shift tray, One-bin tray

#### **Other options**

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Caster table, Memory unit, Side Tray, Banner paper guide tray, Punch units, IPDS unit, Genuine Adobe PostScript 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, Counter I/F unit, NFC card reader, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, HDD 320 GB option, Bridge unit, Toner bottle lock, Antimicrobial screen protector

A4, A5, A6, B4, B5, B6, Envelopes

A4, A5, A6, B4, B5, B6, Envelopes

5, B4, B5, B6, Envelopes

20 mm, Length—148-457.2 mm (Copy/Document server),

) g/m²), Duplex: (52—256 g/m²)

aper, Colour paper, Letterhead, Cardstock, Preprinted paper, Gloss paper, Label paper

Consumables	
Toner (black)	40,000 prints
Toner (cyan, magenta, yellow)	28,000 prints

Yields based on 3 pages/job, 5% coverage on A4

## Reimagine the future of your business and transform with Ricoh

Designed and built to act as the hub of the modern hybrid workplace, our eco-friendly IM C Series Multifunction Printers have evolved to meet your organisational needs now and into the future, earning their place today through a range of new and improved features that do not only deliver smooth operations and a seamless experience for employees but contributes to a greener future as well.

# **Contact us now**

For more information, visit **ricoh-ap.com** 

#### **Ricoh Asia Pacific Pte Ltd**

20W Pasir Panjang Road, #04-28 Maplestree Business City, Singapore 117439

> Learn more about our solutions at **ricoh-ap.com** ° Copyright 2024 Ricoh Asia Pacific Pte Ltd

